

Azure Stack HCI – die News von der Microsoft Ignite 2020



Manfred Helber



Twitter: @ManfredHelber
www.manfredhelber.de
Manfred@manfredhelber.de

Manfred Helber




Themen heute


- **HCI mit Windows Server 2019 und dem neuen Azure Stack HCI OS**
- **Neuerungen für das Azure Stack HCI OS**
- **Lizenzierung einer hyper-converged Infrastructure mit Microsoft Technologien**
- **Lösungen von Thomas Krenn für Azure Stack HCI**

HCI mit Windows Server 2019 und dem neuen Azure Stack HCI OS


Hyper-Converged Infrastructure (HCI) - Grundlagen



HCI mit Microsoft Technologien



Microsoft HCI Rahmenbedingungen



Start small...

Minimal footprint

Just 2 servers minimum

(4 × SSD) or **(2 SSD + 4 HDD)** per server

No minimum processor and memory

1 × 10 Gbps network adapter

SATA, DOM, M.2

Made possible by

Lightweight quorum


Cloud, file share, or USB key

No costly Witness VM Appliance

Nested resiliency

Withstand multiple failures

Microsoft HCI Rahmenbedingungen



Scale with your needs

Scale up, scale out

Up to 16 servers per cluster

Limited by rack and switch ports

Up to 4,000 TB storage capacity per cluster

Store all of Wikipedia in every language 50 times

With no downtime

Automatic VM load balancing

Automatic storage rebalancing

Microsoft HCI Rahmenbedingungen

Hyper-V als Hypervisor

Run any Windows or Linux virtual machine that works on Hyper-V



Windows 10

Windows Server 2012

Windows Server


Windows Server 2008




Use any capable tool, you're the Administrator




Windows Admin Center **NEW**



Windows PowerShell



System Center VMM




Hyper-V Manager, etc.

Manfred Helber




Microsoft HCI Rahmenbedingungen – S2D

Start with industry-standard servers




Microsoft HCI Rahmenbedingungen – S2D

Insert additional drives to each server



Microsoft HCI Rahmenbedingungen – S2D

Fastest drives provide cache to accelerate the others




Microsoft HCI Rahmenbedingungen – S2D

Faster



Slower

intel OPTANE™ DC
PERSISTENT MEMORY



Persistent Memory



Non-Volatile Memory Express



Solid-State Drive



Hard Disk Drive

Microsoft HCI Rahmenbedingungen – S2D

Why cache writes?

Coalescence


Random IO is hard for an HDD. Squeeze up to 5X more writes by coalescing them in software to minimize arm movement and use every platter rotation effectively.

Absorb bursts

Writes may not happen uniformly over time. Amortize spikes over quieter periods to keep drives working steadily.

Just write once

Apps may overwrite data multiple times in rapid succession. Reduce overall traffic to HDD by only writing the "last" version.



Microsoft HCI Rahmenbedingungen – S2D


Why cache reads?

Flash is just faster

Anything that's been read multiple times is likely to be read again. The faster you respond, the faster the app proceeds, the more IOPS you get.

Don't interrupt de-stage

Reading from HDD requires seeking and settling, disrupting the optimized de-stage from the previous slide.




Microsoft HCI Rahmenbedingungen – S2D



NVMe for Capacity

OR




NVMe for Cache *SSD for Capacity*

OR




SSD for Capacity




NVMe for Cache *HDD for Capacity*

OR




SSD for Cache *HDD for Capacity*

OR




NVMe for Cache *SSD + HDD for Capacity*

Microsoft HCI Rahmenbedingungen – S2D




Microsoft HCI Rahmenbedingungen – S2D

Infrastructure high availability and resiliency




Distributed storage resiliency • VM live migration • Automatic failover • Access storage from any server

Microsoft HCI Rahmenbedingungen – S2D




Microsoft HCI Rahmenbedingungen – S2D



Handle two failures at once


Microsoft HCI Rahmenbedingungen – S2D




✓ Handle two failures at once

Microsoft HCI Rahmenbedingungen – S2D

Nested two-way mirror



Nested mirror-accelerated parity



Microsoft HCI Rahmenbedingungen – S2D

Resilient File System (ReFS)

Recommend for Storage Spaces Direct

- ✓ Detect and correct corruptions
- ✓ Mirror-accelerated parity

Great features for Hyper-V

- ✓ Faster VHDX creation / expansion
- ✓ VHDX checkpoint integration

Learn more at aka.ms/refs

Data Deduplication

Highly optimized


- ✓ Outside of IO path (post-processing)
- ✓ Variable-size chunk store
- ✓ Multi-threaded

Highly scalable

- ✓ Volumes up to 64 TB
- ✓ Files up to 1 TB

Learn more at aka.ms/dedup

Deduplication and compression for ReFS



Up to
30%

Documents, photos,
music, videos



Up to
60%


General-purpose
file server



Up to
90%



Virtual hard disk
files, iso files, backup

Microsoft HCI Rahmenbedingungen – S2D



Microsoft HCI Rahmenbedingungen – S2D

Two options to build a S2D Solution



1 Build Your Own

2 Validated Partner Solutions

Microsoft HCI Rahmenbedingungen – S2D

**Validated Partner Solutions for
Windows Server 2016:**

Windows Server Software Defined


<https://Microsoft.com/WSSD>

**Validated Partner Solutions for
Windows Server 2019:**

Azure Stack HCI

<https://Microsoft.com/HCI>

Azure, Azure Stack Hub und Azure Stack HCI



Neuerungen für das Azure Stack HCI OS


Was ist das Azure Stack HCI OS?

Specialized host operating system

Latest Azure hypervisor with built-in software-defined storage and networking

Optimized for virtualization with reduced composition

Minimal local user interface, designed for remote management




Wie ist der Zusammenhang zwischen Azure Stack HCI OS und Azure?

Natively integrates with Azure

Azure Resource Manager (ARM) resource represents each on-premises Azure Stack HCI cluster

Visibility in the Azure Portal and foundation for hybrid management

No fuss with agents or scripts – it's built-in!



Wie wird die Nutzung des Azure Stack HCI OS abgerechnet?

Modern subscription billing for Azure Stack HCI



10\$ / Core / Month

Predictable monthly fee covers cloud and on-premises together

Charged to your Azure subscription, like every other Azure service you use

Simple cost structure depends only on physical processor cores

Always up-to-date: new features through frictionless monthly updates

Guest operating systems and apps sold separately

Learn more at [Azure.com/Pricing](https://azure.com/pricing)

Wie sieht der Support für Azure Stack HCI OS aus?

Azure Stack HCI is covered by Azure Support



New, dedicated team of experts to support the new Azure Stack HCI

Access Azure Stack HCI self-help resources

Request technical support through the Azure Portal


Choose a plan that fits your needs, starting from \$29/month

Learn more at [Azure.com/Support](https://azure.com/support)

Wie wird Azure Stack HCI OS verwaltet?

Admin Center (included)


Edge-local, always available



- ✓ Initial set-up
- ✓ Manage infrastructure
- ✓ Hardware management extensions
- ✓ Troubleshooting

Azure Portal (included)

Cloud-based, highly scalable



- ✓ Global visibility
- ✓ Monitoring and security services
- ✓ Request support
- ✓ Billing



Welche Vorteile bietet die Option das neue Azure Stack HCI OS über das Azure Portal zu verwalten?



Benefit from standard Azure Resource Manager (ARM) constructs

Categorize your clusters with Tags

Organize your clusters into Resource Groups

View all your Azure Stack HCI clusters in a single, global view

Leverage Azure identity access management (IAM)

Hybrid Services für Azure Stack HCI OS



Networking

Securely connect on-prem to Azure virtual network



Recovery

Protect VMs with cloud backup and site recovery



Policies

Assign Azure Policy configurations to hosts and VMs



Visibility

Natively register and organize with ARM groups and tags



Billing

Pay for HCI through your subscription, per core/time



Support

Request technical support through the Azure Portal



Monitoring

Global view of metrics and alerts for multiple clusters



Expansion

Coming to US Gov, Azure China, and more regions *



Self-service

Delegate access so other Azure users can create VMs


Already available

Preview now

In development

Hardware für Azure Stack HCI OS

Customize hardware to suit your needs



Choose processor(s)
Compatibility and maximum determined by system

Choose memory
Compatibility and maximum determined by system

Choose drives
Any size, speed ¹
(requires WS 2019 logo)

Choose networking
Any speed, ports ¹
(requires WS 2019 logo)

This exact combination, together with a representative selection of choices from the right, is what solution vendors must pre-validate in a multi-node hyperconverged configuration under sustained, heavy load in order to appear in the catalog.


¹ Microsoft strongly recommends adhering to the solution vendor's compatibility matrix for device models. Compliance may be required to receive support from them.

Stretched Cluster

Native disaster recovery with stretch clustering


Span an Azure Stack HCI cluster across two rooms, two buildings, or two cities

Sync or async storage replication, optional encryption, site-local resiliency



Schneller Resync

Resync duration for Storage Spaces Direct (shorter is better)




Average results from internal testing, measured by applying a typical monthly OS patch under moderate-intensity I/O across several representative storage access patterns

Extended Security Updates inklusive


Overview of Server Product Lifecycle




<https://support.microsoft.com/lifecycle>



Azure Kubernetes Service on Azure Stack HCI



Mögliche Implementierung für ein kleines Azure Stack HCI OS Cluster




Lizenzierung einer hyper-converged Infrastructure mit Microsoft Technologien


Windows Server 2019 Lizenzierung

Lizenzierung auf Basis der physischen Kerne (Cores) – Standard und Datacenter

Um lizenzkonform zu sein müssen alle physischen Cores lizenziert sein




1



Mindestens
8 Cores/Prozessor

2



Mindestens 16
Cores/physischem Server

Sonderfall: Windows Server 2019 Datacenter Azure Stack HCI RoBo Lizenz

Variante der Windows Server Datacenter Lizenz für Azure Stack HCI zertifizierte Systeme mit maximal 8 Kernen

Alle Windows Server 2019 Datacenter Features enthalten
– maximal 8 physische Kerne je Host erlaubt

Bei Thomas-Krenn verfügbar!

Azure Stack HCI Micro-Cluster Basic

Ver. 1.0




Nodes aufrüstbar bis zu je:
1x CPU (2,2 Ghz
8-Core)
64 GB RAM
24 TB Mirror (12 TB Nested-Mirror)
2x 10Gbit/s LAN (RJ45)

Preis inkl. 2x vorinstallierte Windows 2019
Datacenter Nodes
inkl. Windows Admin Center Extension
16 Port 10 Gbit-Switch


Manfred Helber

Storage Spaces Direct mit Windows Server 2019 DC



* on licensed Hosts only

Azure Stack HCI Host OS




Wie werden unter Azure Stack HCI OS VM Nutzungsrechte lizenziert?

As little or as much Windows Server as you need, like other HCI platforms


			
What you want to run:	Linux applications Open source software	A few Windows Server roles or applications	Unlimited Windows Server roles or applications
What you buy:	Validated OEM HW	Validated OEM HW	Validated OEM HW
	+	+	+
Host: Subscription	Azure Stack HCI	Azure Stack HCI	Azure Stack HCI
	+	+	+
Guest: Perpetual	<i>Nothing else from Microsoft</i>	Windows Server 2019 Standard(s)	Windows Server 2019 Datacenter

Zwei Optionen für HCI mit Microsoft Lösungen

Option 1



Option 2



Azure Stack HCI

Inspired by its popular predecessor and namesake...

Previous "Azure Stack HCI"

Reference architecture and validation program using Windows Server




New Azure Stack HCI

Purpose-built product offering from Microsoft Azure



Lösungen von Thomas Krenn für Azure Stack HCI

Einsatzszenarien für Microsoft HCI



Branch office
and edge




Virtual desktop
infrastructure



High-performance
SQL Server



Trusted enterprise
virtualization



Scale-out
storage



General-purpose
Kubernetes

Lösungen von Thomas Krenn für Azure Stack HCI



Thomas-Krenn.AG S2D Micro-Cluster (V1.0)

Scale

2 nodes

Single Node Data

CPU: 8-16 cores (Intel)

RAM: 128 GB

Raw storage: 16TB to 64TB

Storage type: SDD + HDD

Network speed: 10 Gbit



Webinterface der Windows Admin Center Extension



Azure Stack HCI Micro-Cluster - in Basic und Advanced Version verfügbar

Manfred Helber



Lösungen von Thomas Krenn für Azure Stack HCI



Thomas-Krenn.AG S2D Series
RI2212 (v2.0)

Scale

2 to 4 nodes

Single Node Data

CPU: 16-56 cores (Intel)

RAM: 64GB to 1TB

Raw storage: 2TB to 144TB

Storage type: NVMe + SSD + HDD

Network speed: Up to 100Gb



Thomas-Krenn.AG S2D Series
RI2224 (v2.0)

Scale

2 to 4 nodes

Single Node Data

CPU: 16-56 cores (Intel)

RAM: 64GB to 1TB

Raw storage: 2TB to 92TB

Storage type: NVMe + SSD

Network speed: Up to 100Gb

Lösungen von Thomas Krenn für Azure Stack HCI



Thomas-Krenn.AG S2D Series
RI2424 (v2.0)

Scale

2 to 4 nodes

Single Node Data

CPU: 16-56 cores (Intel)

RAM: 64GB to 1TB

Raw storage: 2TB to 288TB

Storage type: NVMe + SSD + HDD

Network speed: Up to 100Gb



Thomas-Krenn.AG | S2D Series
AMD RA2224 (v2.0)

Scale

2 to 4 nodes

Single Node Data

CPU: 16-128 Cores (AMD)

RAM: 64GB to 1TB

Raw storage: 2TB to 92TB

Storage type: SSD

Network speed: Up to 100Gb

Vielen Dank!



Manfred Helber



Twitter: @ManfredHelber
www.manfredhelber.de
Manfred@manfredhelber.de