

IPMI Firmware / BIOS Release Notes Form

Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.

| | |
|-------------------------|--|
| Product Name | H11SSL-i/C/NC (All) |
| Release Version | 1.0b |
| Release Date | 4/27/2018 |
| Previous Version | 1.0a |
| Update Category | Critical |
| Dependencies | N/A |
| Important Notes | ECO #20834 BIOS Image H11SSL8.427 Please update BIOS with attached Flash Utility in package. |
| Enhancements | 1. Updated AGESA NaplesPI to 1.0.0.7 based on AMI CRB_017. 2. Added support for Graphic Mode of Early Video mode and display of IPv4 and IPv6 IP addresses in Graphic Mode. 3. Added support for hidden item "Memory Corrected Error Enabling" and function that disabled CMC source to prevent OS from receiving the CECC error. |
| New features | N/A |
| Fixes | 1. Fixed issue of USB recovery of Asmedia XHCI controller USB ports not working normally for Agesa 1.0.0.6. 2. Hid item "Onboard SAS LSI3008 Option ROM" by SKU ID. |

Release Notes from Previous Release(s) – these will be appended at the bottom of the current release notes in italic and in smaller print

02/22/2018

- 1. Applied security patch to address 'Spectre' variant 2 (CVE 2017-5715) security issue.*
- 2. Updated AGESA NaplesPI to 1.0.0.5 based on AMI CRB_014.*
- 3. Fixed problem of system hanging in F11 boot menu when AHCI M.2 device is installed.*
- 4. Updated AMI PSPDATA in recovery mode.*
- 5. Fixed bug in which legacy OPROM doesn't execute successfully when AOC-LSI3008L-L8i is plugged in on CPU SLOT1 PCIe 3.0 X8 OPROM.*
- 6. Added support for AOC.*

Product Manager

Date